



The Original Sign Supplier since 1969

Substrate Catalogue

AluCOMP
AluBUILD
AusPanel
Flute Panel
Gilman Panel
Stadur Panel
Colorbond
Weathertex
H.I.P.S
Card
Styrene
Bigsign
Ozmate PVC sheet

April
2011

168a Settlement Rd, Thomastown Victoria 3074

Tel: **(03) 9465 1233** Fax: **(03) 9465 9841**


Web: www.bi-wize.com

Email: sales@bi-wize.com

Page Index

AluCOMP Sign Panel _____	3 - 4
AluBUILD Building Panel _____	5 - 6
AusPanel Display Board _____	7 - 8
Gilman and Stadur Display Board _____	9
Flute Panel, <i>New Fluro Flute Panel</i> _____	10 - 11
Colorbond _____	12 - 13
Weathertex _____	12 - 13
H.I.P.S High Impact Polystyrene _____	14 - 15
White Card _____	16
Stencil Card _____	16
Polystyrene _____	17 - 18
Big sign _____	19
Ozmate PVC sheet _____	20 - 21

AluCOMP Digital Information



Aluminium composite panel is known by many brand names and is mainly used in the building industry, in application such as cladding factories and showrooms for that modern new look.

The product is now also widely used in the Sign industry, instead of using colourbond and weathertex, as it is a lighter extremely flat rigid sheeting.

AluCOMP has a three-layer composition, the top and bottom layers are Aluminium sheet and the center core is a low density polyethylene. The paint finish is a high strength polyester coating, which is Acid, Alkali and Solvent resistant.

Also coming in a range of colours which cuts down on production time, being a light rigid panel installation time are reduced.

AluCOMP can be cut by using Guillotine, saw, jigsaw or knife. As the product is Aluminium skinned it can easily be rolled, curved and fabricated.

In the application where corner angles are required, the product can be routed to allow it to bend to right angles.

The AluCOMP panel can be router cut on flatbed router to form complex designs and profiles of any shapes, allowing a wide range of manufacturing design ideas. AluCOMP is great for direct print mounting and can be easily painted.

Application

- Can be Screen or Digitally printed direct to panel
- Signage • Advertisement • Shop fronts
- Interior decoration • Kitchens • Furniture
- Ceiling • Showroom • Booths
- Trailers • Horse floats
- Other industrial applications





Handling instruction

When Handling Alucomp it is important to keep in mind the construction of this product, it has an Aluminium thin skin with a polyethylene core so care needs to be taken so as not to buckle sheet when lifting, carrying or transporting.

Always pick sheet up from the middle of the longest edge, lifting sheet in a vertical position so as not to cause damage to sheet.

Do not pick up from corners or fluff sheet, as in when separating colourbond and metal sheets, this will cause the sheet to bend unduly.





Aluminium Composite Panel

Light weight easy to use and comes in a range of colours

	AluCOMP 2mm. Digital Lite	_____	0.12mm Skin D/Sided
	5 Year outdoor		<u>Not recommended for folding</u>
			<u>Lightweight product needs to be handled with care</u>
Satin White/Satin Black	1830x1220mm	Sheets \$35.00 ea	10 sheets or more
	2440x1220mm	Sheets \$45.00 ea	receive a free
	3660x1220mm	Sheets \$70.00 ea	retractable knife with light

	AluCOMP 3mm. Digital Lite	_____	0.12mm Skin D/Sided
	5 Year outdoor		<u>Not recommended for folding</u>
Satin White/Satin Black	1830x1220mm	1 Sheet \$48.75 ea	10 Sheets \$47.00 ea
	2440x1220mm	1 Sheet \$65.00 ea	10 Sheets \$60.00 ea
	3660x1220mm	1 Sheet \$97.50 ea	10 Sheets \$90.00 ea

	AluCOMP 3mm. Digital	_____	0.21mm Skin D/Sided
	10 Year outdoor		<u>Can be folded</u>
Gloss Reflex Blue/Process Blue			
Gloss White/Silver	1830x1220mm	1 Sheet \$69.50 ea	10 Sheets \$65.75 ea
Gloss Black/Black Satin	2440x1220mm	1 Sheet \$90.00 ea	10 Sheets \$85.00 ea
Gloss 186 Red/109 Yellow	3660x1220mm	1 Sheet \$135.00 ea	10 Sheets \$127.50 ea
Gloss Burgundy/Orange			
Gloss Dark Green/Lime Green			

	AluCOMP 3mm. Digital	_____	0.3mm Skin D/Sided
	5 Year outdoor		<u>Can be folded</u>
Brushed Aluminium/ Gloss Black	2440x1220mm	1 Sheet \$119.00 ea	

	AluCOMP 3mm. Digital	_____	0.21mm Skin D/Sided
	10 Year outdoor		<u>Can be folded</u>
Gloss Black/White	2440x1500mm	1 Sheet \$110.55 ea	10 Sheets \$104.50 ea
	3660x1500mm	1 Sheet \$166.00 ea	10 Sheets \$156.75 ea

	AluCOMP 4mm. Digital Strong	_____	0.3mm Skin D/Sided
	10 Year outdoor		<u>Can be folded</u>
Gloss White/Silver	4000 x1500mm	1 Sheet \$220.00 ea	

Quantities of 25 or more sheets *ring for price*

Custom sheet sizes & colours available
There is a minimum order quantity required.

Cutting service available

Building and Construction grade Aluminium composite panel


AluBUILD 5mm _____ 0.5mm Skin D/Sided

PRODUCTS OUTLINE

AluBUILD is a conventional aluminium composite material consisting of two skins of pre-finished coated aluminium thermobonded to a polyethylene core. with these excellent product properties, AluBUILD was developed to provide a host of advantages for imaginative design and creativity in any application.

AluBUILD FR is a fire-rated aluminium composite material composed of aluminium skins and the fire-retardant core (non-combustible mineral filled core). During the manufacturing process, the skins are thermally bonded to the core material in a continuous process, ensuring greater strength, rigidity and workability. With its mineral-filled core material, AluBUILD FR has successfully established its approval in fire-performance tests.

CONSTITUTION STRUCTURE



TECHNICAL DATA:

Testing items	Results	Testing items	Result	Testing items	Result	
Appearance quality	Vestige	Indistinct	Weight	t4 mm=5.7kg /	Finish coating thickness	30_+5μ m
	Coating omit	No	Outdoor Temperature	No abnormality	Gloss tolerance	4.3 (gloss56.8)
	Ripples	No	Thermal expansion	1.59 x10 ⁻² °C'	Pencil hardness	3H
	Flaws	No	Deflection temperature	105°C	Toughness (T-bend)	2T no rift
	Abrasion	No	Thermal conductivity	0.102 kcal / m.hr°C	Coating adhesive force	Class 1 (4B)
	Scratches	No	Flexural rigidity	14.0 x 10 ⁵	Impact resistance(50kg.cm)	no depainting, no crack
	Aberration	Indistinct	Penetration resistance	9.0KN	Grinding resistance	7.4L/μ m
Dimensions deviation		180° peel strength	11.7N / mm	Mortar resistance	24 Hrs pat test exceed	
	Length	0~+0.4mm	Acoustic insulation	25 dB	Humidity resistance	3000 hrs no blister
	Width	0~+0.6mm	Bending elastic modulus	2.8 10 ⁴ MPa	Boiling-water resistance	no change
	Thickness	-0.02~0mm	Shearing resistance	28.6MPa	Salt-spary resistance	3000 hrs no blister
	Diagonals windage	1.7mm	Fire propagation	Qualified	Acid resistance	No change
	Edge unstraightness	0.4mm/m	Wind-pressure resistance	Passed	Alkali resistance	Passed
	Warpage	2.0mm/m	Properties against water	Passed	Solvent resistance	Passed
			Properties against air	Passed	Colour retention	E < 5
			Bending strength	112MPa	Chalk resistance	Max value: 8 unit
			Minimum bending radius	≥ 300mm	Gloss retention	90%

AluBUILD

Building and Construction grade Aluminium composite panel

FIRE BEHAVIOR

AluBUILD retards the rapid spread of fire through the non-inflammable aluminium cover sheets which protect the polyethylene core without toxicity.

AluBUILD FR is a fire safe material with a flame retardant mineral core to prevent the proliferation of flames and restrict the development of smoke detrimental to evacuation activities. It also meets the mandatory requirements for interior and exterior use in most countries. The following technical data is from the test report issued by SGS U.K. Co., Ltd. & SGS U.S. Testing Company Inc, respectively:


FIRE TEST DATA:

Testing items	Testing conditions	Result	Conclusion	Standard
Fire safety test	BS 476: Part 6: 1989	Total fire propagation index: 0.05	Class 0	BS 476:Part 6:1989
Fire safety test	Relative Humidity of 50±10°F Temperature of 23±2°C	Flame spread at 1.5min: 60mm Final flame spread: 60mm	Class 1	BS 476:Part 7:1997
Fire safety test	Relative Humidity of 50±5°F Temperature of 73±5°C	Flame spread index:10 Smoke developed value: 15	Class A	ASTM E-84-04

BS: British Standard; **ASTM:** American Society for Testing and Materials

SURFACE FINISHES

AluBUILD / AluBUILD FR are now available in solid colours, metallic colours, stone/timber-look series and special effect colours including mirror finished, brushed finished, parking, high-gloss, and chameleon. The colours are obtained using our most advantageous continuous coil-coating process on the most modern paint line, utilizing Kynar500® PVDF(70% Polyvinylidene Difluoride) or excellent Polyester coating, **AluBUILD / AluBUILD FR** Aluminium Composite panels featured with excellent durability and flexibility, chemical resistance, superior ability to withstand humidity, impact, mortar, salt, fog, graffiti, and alkaline, etc.



Curtain walls
Floor, ceilings
Furniture
Elevators
Balcony

Interior/Exterior decoration
Washroom/Kitchen
Roofs, roof edging
Image programs
Shops & tunnels





PAPER FACE FOAM BOARD

Paper face print board is an expanded polystyrene core foam board with a 295GSM PH neutral clay coat paper face suitable for all UV Flatbed printers, screenprinting or applying digital prints. Foam boards are suited where print quality and consistency is essential. These boards can be directly printed to on large format digital printers or screen print machines, or used when block mounting printed posters or images.

The foam board is suited to any internal display application, as the board is light weight it is easy to handle in large sheets and is easy to install when hanging on wall using the board hangers it is as easy as 123. **1:** push hanger into board **2:** push down locking pin so hanger dose not pull back out **3:** hang on wall as you would any painting.

Application

- Point of sale - Medium to long term
- Exhibition
- Framing
- Internal signage
- Mounting
- Direct digital printing
- Direct screenprinting
- Routing
- Saw and knife cutting recommended



POLYCORE FOAM BOARD

Polycore is an extruded medium density polystyrene board with a unique combination with outstanding qualities and benefits for both internal and external applications. The exterior face is a brilliant white UV Corona treated 0.8mm polypropylene ready to print. Suitable for all UV Flatbed printers and screenprinting machines where print quality and consistency is required.

Application

- Point of sale - Medium to long term
- Exhibition
- Framing
- Internal signage
- Mounting
- Direct digital printing
- Direct screenprinting
- Routing
- Saw and knife cutting recommended





Only comes in 2440mm x1220mm sheets
Can be cut to sizes required

Paper Face Matt White

5mm	\$23.05 ea	pack of 25	\$21.60 ea
10mm	\$52.80 ea	pack of 16	\$49.50 ea
20mm	\$72.00 ea	pack of 8	\$67.50 ea

Paper Face Matt Black

5mm	\$32.40 ea	pack of 25	\$30.40 ea
-----	------------	------------	------------

Paper Face Gloss White

5mm	\$33.60 ea	pack of 25	\$31.50 ea
10mm	\$57.60 ea	pack of 16	\$54.00 ea
20mm	\$76.80 ea	pack of 8	\$72.00 ea

Paper Face Gloss Silver

5mm	\$38.40 ea	pack of 25	\$36.00 ea
10mm	\$62.40 ea	pack of 16	\$58.50 ea
20mm	\$81.60 ea	pack of 8	\$76.50 ea

Only comes in 2400mm x1200mm sheets
Can be cut to sizes required

Poly Core White (up to 3 year outdoor)

8mm	\$105.60 ea	pack of 10	\$99.00 ea
-----	-------------	------------	------------

Board hanger flat	.40c ea	Bag of 100	\$30.00
Board hanger Hinged	\$2.00 ea	Bag of 100	\$150.00



DESCRIPTION: Paper-faced memory foamboard with the proprietary Reveal® foam centre.
REVEAL® Foam Centre: Engineered to retain its thickness during mounting, laminating, screen-printing and die-cutting. Highly warp resistant.


Only comes in 2440mm x1220mm sheets

Paper Face Matt Black Insite Reveal

5mm \$25 ea pack of 25 \$23.50 ea
 10mm \$59.95 ea pack of 13 \$56.95 ea

PVC Face Matt Black Duroplast


5mm \$95 ea 10mm \$130 ea



STADUR Viscom Sign
 The lightweight foam board for limitless ideas

With the light foam panel Stadur Viscom SF, Stadur has developed an innovative product with a high surface strength, which will revolutionise the advertising market. The characteristics are: high rigidity, yet very low weight.

The panel is suitable for both indoor and outdoor use. The Stadur Viscom SF is characterised by a high resistance to scratching and high strength quality. Thanks to the special surface the light foam panels are excellently suitable for all known printing methods.



White PVC Face

10mm	3050 x 1530mm	\$165 ea	Pack of 5 \$150 ea
19mm	3050 x 1530mm	\$190 ea	Pack of 5 \$175 ea
19mm	4050 x 2030mm	\$350 ea	Pack of 5 \$325 ea

Flute Panel

Flute Panel, is a ribbed polypropylene extruded hollow profile sheet that consists of two faces connected by vertical ribs. Comes in a variety of thickness sizes and colours.

Flute Panel is widely used in the sign industry for short term indoor or outdoor signs. Flute Panel can be printed directly to the substrate on a large format digital flatbed printer, or screen printed. It can also be vinyl lettered and when the correct primer is use is can also be painted.

Flute Panel can be eyeleted for signs where tying or wiring to fences is required, there is also a picture frame style hook that can be used when hanging on walls internally and fixings do not wish to be seen.



High insulating capacity.

Moisture resistant.

Can be folded.

High tensile strength.

Light weight.

Range of colours.

Easy to clean.



Usages:

Inserts in A boards.

Pointer boards.

Safety signs.

Builders signs.

Real estate boards.

Indoor or Outdoor signs.

Flute Panel

White

900mm x 600mm	3.3mm	\$3.10 ea	pack of 20	\$2.80 ea
900mm x 600mm	5mm	\$4.66 ea	pack of 20	\$4.20 ea
1830mm x 1220mm	3.3mm	\$11.55 ea	pack of 20	\$10.40 ea
1830mm x 1220mm	5mm	\$18.98 ea	pack of 10	\$17.10 ea
2440mm x 1220mm	3.3mm	\$15.48 ea	pack of 20	\$13.95 ea
2440mm x 1220mm	5mm	\$21.95 ea	pack of 10	\$19.75 ea

Colours 3mm (Black, Blue, Green, Red, Yellow)

2440mm x 1220mm	3.3mm	\$14.60 ea	pack of 10	\$13.00 ea
-----------------	-------	------------	------------	------------

Colours 5mm (Black, Blue, Green, Red, Yellow)

2440mm x 1220mm	5mm	\$26.25 ea	pack of 10	\$25.00 ea
-----------------	-----	------------	------------	------------

Fluro 5mm (Yellow, Pink, Green, Orange)

2440mm x 1220mm	5mm	\$26.25 ea	pack of 10	\$25.00 ea
-----------------	-----	------------	------------	------------

Thicker sheets available by request sizes range from 3mm to 10mm
in white and all colours

Ring for pricing on larger quantities

Board hanger Hinged \$2.00 ea Bag of 100 \$150.00

Viponds Flute Panel Sealer 1Litre \$17.69

Coro-Claw Flute Cutter 3 & 5mm \$25.00 ea pack of 5 \$20.00 ea

Colorbond

The Signwhite colourbond is made from a composition of metals, it is .55mm thick which makes it relatively light and can be folded and cut. As not all colourbond is paint receptive the signwhite with its white paint coating is.

It is used widely in the sign and building industry. Colourbond can be drilled, riveted, glued or nailed to frames or walls as required.

Weathertex

The weathertex signboard is made from exterior grade wood fibre with a factory applied white primer coating. It is 9.5mm thick and can be easily cut, machined, routed or shaped using standard woodworking tools. Common applications for weathertex signboard include shaped or flat panel signs, display, linings and advertising to name just a few. The sheets can be screwed, glued or nailed to walls, timber or metal frames.



Colorbond

Sign White

900mm x 600mm	\$15.67 ea
1200mm x 900mm	\$27.47 ea
1800mm x 900mm	\$32.18 ea
1800mm x 1200mm	\$44.76 ea
2400mm x 900mm	\$47.20 ea
2400mm x 1200mm	\$57.13 ea

Coloured (suitable for vinyl only, not paint)
2400x1200mm \$N/A ea

Cutting service available on colourbond

Weathertex

Undercoated

2440mm x 1220mm	\$72.45 ea
3660mm x 1220mm	\$105.50 ea

No cutting service available on Weathertex
Sold in full sheets only.

For larger quantity orders on either
Colorbond or Weathertex
ring your area sales representative
for a price quote.

H.I.P.S

High Impact Polystyrene

High impact polystyrene or H.I.P.S as it is more commonly known as, is an interesting product.

It is manufactured from Styrene monomers and various impact modifiers and formed into a flat sheet with no visible signs or texture of a polystyrene finish.

The sheet comes with a matt surface on one side and a gloss plax surface on the other.

It is excellent at low temperature, and durable. It can be distorted and elongate if necessary when exposed to high temperatures. It has excellent forming characteristics, making it ideal for vacuum forming.

Can be easily painted in Enamel or Acrylic Lacquer.
(water based paint not recommended)

H.I.P.S is not recommended for exterior use and comes with a protective clear sheet layer of polyethylene film on the gloss side for protection against scratching.

Properties

- Excellent thermoforming characteristics
- Good impact strength
- Food safe
- Good rigidity and low temperature toughness
- Excellent printability

Applications

- Graphic arts
- Signs
- Packaging
- Vacuum forming of 3D objects
- Point of sale displays

H.I.P.S

High Impact Poly Styrene

1370 x 760mm

0.05mm thick	\$5.00 ea	10 sheets \$4.50 ea
1.00mm thick	\$8.75 ea	10 sheets \$7.88 ea
1.50mm thick	\$13.20 ea	10 sheets \$11.88 ea
2.00mm thick	\$17.65 ea	10 sheets \$15.89 ea
3.00mm thick	\$26.40 ea	10 sheets \$23.76 ea

1830 x 915mm

1.00mm thick	\$14.20 ea	10 sheets \$12.78 ea
1.50mm thick	\$21.25 ea	10 sheets \$19.13 ea
2.00mm thick	\$28.35 ea	10 sheets \$25.52 ea
3.00mm thick	\$42.50 ea	10 sheets \$38.25 ea

2440 x 1220mm

1.00mm thick	\$25.15 ea	10 sheets \$22.64 ea
1.50mm thick	\$37.80 ea	10 sheets \$34.02 ea
2.00mm thick	\$51.85 ea	10 sheets \$46.67 ea
3.00mm thick	\$75.50 ea	10 sheets \$67.95 ea

Please note sheets come in **White & Black**, accept for 1830 x 915mm sheet size *dose not come in Black.*

White Card

White Card comes in various weights and has a clean white finish. Very versatile in the short term indoor signage application, as it is a relatively rigid board with a white finish on both sides.

Ideally suited and used in the sign industry in painting posters, price tags, screen printing, etc.


White Light Weight	970gsm		
760mm x 1020mm	\$5.80 ea	pack of 25	\$5.38 ea
White Medium Weight	1145gsm		
760mm x 1020mm	\$6.85 ea	pack of 20	\$6.39 ea
White Heavy Weight	1750gsm		
760mm x 1020mm	\$11.80 ea	pack of 20	\$11.02 ea
1520mm x 1020mm	\$22.25 ea	pack of 20	\$20.81 ea

Stencil Card

Stencil card is a light weight card, off white one side grey on the other. Used primarily of cutting stencil of shapes or letters, for layouts on large hand painted signs. Also used for spray stencils and cutouts for cutting styrene foam on a hand operated hot wire machine.

Grey Light Weight	298gsm		
760mm x 1020mm	\$1.20 ea	pack of 100	\$1.08 ea

Ring for pricing on larger quantities



M.D. Display Grade

Display grade polystyrene is a more denser construction of styrene for a smoother and a higher quality finish. Preforms best in application where the styrene is to be router cut or cut on a hot wire machine, also can be sanded and shaped as required.

Polystyrene can be painted in water based acrylic paint and resin coated to give that glass like finish.



S.L Grade

S.L grade polystyrene is a more open construction of styrene, not recommended for the manufacture of signs.

S.L grade is primarily used for packaging and in the manufacture of caravans and trailers where insulation against temperature changes is required.



Styrene Foam

M.D. Display Grade

Comes in 2440 x 1220 sizes sheets only.

White

M.D. Display grade	12.5mm	½"	\$15.34 ea
	25mm	1"	\$28.46 ea
	38mm	1 ½"	\$42.70 ea
	50mm	2"	\$55.84 ea
	75mm	3"	\$82.10 ea
	100mm	4"	\$109.50 ea

S.L. Grade

Comes in 2440 x 1220 sizes sheets only.

White

S.L. grade	6mm	50 sheets	\$2.64 ea
	10mm	50 sheets	\$4.40 ea
	13mm	50 sheets	\$5.30 ea
	15mm	50 sheets	\$6.58 ea
	17mm	50 sheets	\$7.26 ea
	19mm	50 sheets	\$8.36 ea
	25mm	50 sheets	\$10.97 ea

BIGsign

The answer to providing a **LARGER** substrate

Now you can have an open ended sign length.

at

2.7m wide

and any length (Sold by the running mt.)

- Fibreglass sheet with white gloss surface.
- Smooth and easy to paint.
- Light weight and extremely strong.
- Can be easily cut.
- Can be formed around gentle curves.
- Can be rolled up for transport.
- 1.5mm thick with clear protective liner.
- Perfect for applying all types of vinyl.
- Outdoor durability is 20 years plus.

White

2700mm wide

\$225 per running mt

OZMATE

Flat PVC Sheet

3 Year Outdoor life

OZMATE is a lightweight, versatile, flexible and durable PVC sheet that is ideal for use in advertising and construction. OZMATE exhibits the whitest surface available and has been successfully tested by digital flatbed printer manufacturers. Printers and advertisers benefit from its consistent smooth and bright surface for producing high quality displays. OZMATE is easily handled, cut and fabricated using conventional tools and equipment, and can be printed, painted or laminated.

Some of the benefits of OZMATE:

- OZMATE has been tested and approved for digital printing. It has a bright white, smooth and uniform surface with good insulation, lower heat transmission.
- OZMATE is a non-toxic and has self-extinguishing properties and can be easily worked with conventional tools.
- OZMATE can be printed, painted, vacuum formed, nailed and bonded. It also has low water absorption and high chemical resistance.

Typical Applications of OZMATE:

- Advertising** - Signs, displays, interior decoration, exhibition graphics, cladding etc.
- Construction** - Models, partitions, wall cladding, interior decoration, air conditioning ducts, etc.
- Industry** - Control cabinets and panels, structures for corrosive environments, ducts, etc.
- Screen Printing** - OZMATE is flat, consistent surface making it ideal for screen printing. it is suitable for use with aqueous and solvent-based inks, with the sheets surface having low moisture absorption giving excellent ink yield.



OZMATE

Flat PVC Sheet

Sheets sizes: 2440mm x 1220mm

Budget Grade (No protective coating sheet)

White

3mm sheets	\$30.00 ea	pack of 10+	\$28.80 ea
------------	------------	-------------	------------

Premium Grade

White

2mm sheets	\$39.50 ea	pack of 10+	\$35.55 ea
------------	------------	-------------	------------

3mm sheets	\$56.25 ea	pack of 10+	\$50.63 ea
------------	------------	-------------	------------

5mm sheets	\$90.50 ea	pack of 10+	\$81.45 ea
------------	------------	-------------	------------

6mm sheets	\$107.50 ea	pack of 10+	\$96.75 ea
------------	-------------	-------------	------------

8mm sheets	\$131.50 ea	pack of 10+	\$118.35 ea
------------	-------------	-------------	-------------



Printable, Paintable, Formable, Cuttable



TERMS AND CONDITIONS

Credit Terms

Trading terms are either C.O.D. or 30 days (subject to approval) from statement date. Account application forms are available from our web site or by contacting our sales staff on **(03) 9465 1233**. Please fill in all fields required and send original forms back to us.

Ordering

Feel free to visit our store, or phone us on **(03) 9465 1233** or fax **(03)9465 9841**, or alternatively ring your Bi-wize sales representative to fill your queries.

Quality Control

We endeavor to provide quality products at competitive prices. Any goods that do not perform as stated, after being evaluated by our sales representative or manufacturers will be replaced. Goods must be returned in saleable condition within 7 days of purchase. Refund not available.

Returns

We must be notified within 7 days of purchase if requiring to return goods. Goods may only be returned after prior arrangement. Returned goods will incur a handling fee of 10% or \$30 dollars which ever is higher. No refund of goods incorrectly ordered, custom cut or due to change of mind.

Digital media products, due to quality issues may only be returned after a fault has been identified and deemed not to be of adequate standard for said goods by manufacturer or sales representative.

GST

All prices listed DO NOT INC. 10% GST

Pricing

We strive to keep our pricing up to date but prices may change without notice so please verify pricing when placing orders.

Payment Methods

Credit Card, Cash, Cheque or Direct Deposit

Bank Details:

ANZ Bank

Account Name: Bi-wize Paint Distributors Pty. Ltd.

Account no. 013243 - 495 019 773

When making a Direct Deposit payments please email remittance advise to: sales@bi-wize.com